

## 24 inch Dishwasher Tall Tub Full Touch User Interface, 16 place settings, 39 dB, 8 wash cycles Master Series



### **DW24T3IPT/26**

This tall tub dishwasher is the quietest model and largest loading capacity ever offered by Bertazzoni. It offers superb cleaning performance with 3 spray arms and a DirectWash zone to remove tough deposits. Loads up to 16 place settings and it is equipped with 3 racks: a cutlery tray, a convenient height-adjustable loaded on 3 levels middle rack and a folding tines lower rack. Select one of the 8 available wash cycles and 7 wash options through the concealed full touch interface. This dishwasher is perfectly insulated and virtually inaudible at 39 dB(A) with optional Stealth mode. The full touch control interface elevates usability, allowing you to manage every function effortlessly with a single intuitive touch.

All Bertazzoni dishwashers are designed and engineered with the highest grade materials and components.

Handle kits and Bianco Matt door panel are sold separately.

This dishwasher is Energy Star rated. Certified by the National Sanitation Foundation for eliminating 99.99 percent of most common household bacteria.

[Guarda online](#)

# Specifications

## Features

### General features

Size	24 in
Tub height	tall tub height
Place setting	16
Sound insulation	39 dbA
Controls	concealed full touch
Interior finish	stainless steel
User interface	LED display
Spray arms	3 + DirectWash zone
Number of racks	3
Cutlery basket	sliding
Wash cycles	8 - auto, crystal and china, normal plus, pots and pans, quick, regular, rinse & hold, soak & wash
Wash Options	7 - accel, extra dry, delay start, half load modes, sanitize, scrub, stealth
Delayed start	yes
Lighting	2 LED for tub illumination + floor projection status light
Drying system	PowerDry Plus
Overflow protection device	yes
Filter system	triple stage metal filter
Water softener	yes
Certification	CEC, NSF, UL


### Technical specifications

Electrical supply	120 V - 60 Hz - 12 A
Power rating	1400 W
Energy consumption	234 kWh


# Dimensions

## Panel Ready

FRONT VIEW




TOP VIEW




Drain hose and toe kick are provided with the unit

## Panel Installed

FRONT VIEW



TOP VIEW



Drain hose and toe kick are provided with the unit