

48 Wallmount Canopy Hood, 2 motors 1200CFM Master Series



KU48PRO2X/14

All Bertazzoni hoods are designed, engineered and made in Italy using the highest grade materials and components. Every hood pairs perfectly with all Bertazzoni ranges, rangetops and cooktops of the same size and integrates seamlessly with all other Bertazzoni appliances into style-harmonized suites for a true, high-performing kitchen.

Powered by two 600 CFM motors, each with three power settings, this stainless steel canopy hood comes with aluminum mesh filters or optional baffle filters, all easily removable and dishwasher safe. It hood can be installed under a cabinet, or on the wall using a choice of duct cover accessories provided in multiple widths and heights to fit most ceiling heights.

All Bertazzoni appliances are covered by a 2-year warranty. Products and packaging are 99% recyclable. 

Specifications

Features

Hood

| | |
|------|-------|
| Size | 48 in |
|------|-------|

| | |
|-----------|--|
| Hood type | |
|-----------|--|

| | |
|-------|---|
| Motor | 2 |
|-------|---|

| | |
|-------|---|
| Speed | 3 |
|-------|---|

| | |
|----------------|-----------------|
| Hood finishing | stainless steel |
|----------------|-----------------|

| | |
|------------|--------------|
| Duct cover | not included |
|------------|--------------|

| | |
|--------------|-------------------------|
| Hood control | electronic with buttons |
|--------------|-------------------------|

| | |
|----------------|----|
| Remote control | no |
|----------------|----|

| | |
|--------------|------------------------|
| Filters type | baffle stainless steel |
|--------------|------------------------|

| | |
|--------|-------|
| Lights | 4 LED |
|--------|-------|

| | |
|----------------------|-------------|
| Max extraction power | 1200.00 CFM |
|----------------------|-------------|

| | |
|-------------|----------|
| Sound level | 59 dB(A) |
|-------------|----------|

Technical specifications

| | |
|-------------------|------------------------|
| Electrical supply | 120 V - 60 Hz - 6.60 A |
|-------------------|------------------------|

| | |
|--------------|-------|
| Power rating | 800 W |
|--------------|-------|

Dimensions

