

## 48 inch Dual Fuel Range, 6 Brass Burners and Griddle , Electric Self Clean Oven Professional Series




### **PROF486GDFSXT**

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

The high-efficiency maintop with 6 brass burners and electric griddle features 2 dual ring 19,000 BTU power-burners that boil water in under 6 minutes (best in class), and 4 additional MonoBloc burners of variable size and power to suit every style of cooking, with delicate simmer at 750 BTUs. The stainless steel griddle with integrated cover provides additional cooking options.

The 4.6 cubic feet self-cleaning oven is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant digital temperature gauge monitors the actual temperature in the oven and has integrated controls in the bezel for the food temperature probe. The extra wide electric broiler with optional convection is ideal for grilling and searing at high heat. The 2.4 cubic feet auxiliary oven is perfect for smaller dishes and for warming. Both ovens include convenient features such as smooth telescopic glides for the oven shelves and soft-close doors. The edge-to-edge interior oven glass door maximizes interior

volume and can be wiped clean without effort.

All Bertazzoni appliances are covered by a 2-year warranty. Products and packaging are 99% recyclable. 

# Specifications

## Features

### Worktop

Size	48 in
Cooking zones	7
Gas zones	6
Griddle zones	electric
Worktop type	electric / gas
Worktop design	stainless steel squared
Worktop controls	knobs
Knobs	metal coated
Burner type	brass
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Wok adapter	yes
Simmer ring	yes

### Cooking zones

Dual wok	1300 BTU/h - 19 000 BTU/h (2)
Rapid	2500 BTU/h - 10 400 BTU/h (1)
Semi-rapid	1500 BTU/h - 5900 BTU/h (2)
Auxiliary	750 BTU/h - 3500 BTU/h (1)
Griddle power	1 100 W
Griddle drip tray	yes
Griddle dual control	yes

### Oven cavity

Oven configuration	double
Oven fuel	electric

Oven convection system	dual diagonal with heating element
Main oven type	electric pyrolytic
Main oven broiler type	electric
Main oven functions	bake / broiler / convection / convection bake / convection broiler / defrosting / d
Main oven volume	4.6 ft <sup>3</sup>
Auxiliary oven type	electric pyrolytic
Auxiliary oven broiler type	electric
Auxiliary oven functions	bake / bottom bake / broiler / upper bake
Auxiliary oven volume	2.4 ft <sup>3</sup>
Oven controls	knobs
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Food probe	yes
Door hinge	soft-motion
Sliding shelves	2 standard
Wire-shelves	5 heavy gauge chromed
Tray	1 enamelled
Grill trivet for tray	yes
Oven lights	double lateral

### Bottom

Legs	stainless steel
------	-----------------

### Technical specifications

Electrical requirements	120/240V 60 Hz - 8500W 40 A / 120/208V 60 Hz - 6800W 40 A
-------------------------	---

## Dimensions

